

## Fertilization program of carrot and parsley



It is also recommendet to use STEFES Green 2-3 I/ha or STEFES Algi 2-3 I/ha in emergency situations (after stress caused by frost, drought, hail, excessive soil moisture, etc.) in order to save crops (in all phases of development).





## Fertilization program of carrot and parsley

No. of the treatment	Growth stage	Product I	Number of treatments	Dose I/ha
1	Leaf development	STEFES Macro P	1	2-3
	4-6 leaf unfolded	STEFES Extra Zn	1	2-3
	(BBCH 14-16)	STEFES Micro	1	0,5-1,5
2	Leaf development	STEFES Macro P	1	0,5-1,5
2	7-9 leaf unfolded	STEFES Cu	1	2-3
	(BBCH 17-19)	STEFES Zn+B	1	2-3
3	10-20 % of the expected	STEFES Macro P	1	2-3
	head size reached	STEFES Cu	1	2-3
	(BBCH 41-42)	STEFES Macro K	1	2-3
4	30-50 % oft the expected	STEFES S	1	3-5
	head size reached	STEFES Micro	1	0,5-1,5
	(BBCH 43-45)	STEFES Calami	1	3-5
		STEFES Extra Zn	1	2-3
E	20 100 % of the avaceted	STEFES Macro K	1	2.2
5 9	90-100 % oft the expected		1	2-3
	head size reached	STEFES Calami (or EXTRA	Ca) 1	3-5 (2-3)
	(BBCH 46-49)			

It ist also recommended to use STEFES Green 2-3 I/ha or STEFES Algi 2-3 I/ha in emergency situations (after stress caused by frost, drought, hail, excessive soil moisture, etc) in order to save crops (in all phases of development).